Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)





Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)









Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)





# **Veterinary Isolates**

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)



177

Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)






Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)




Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)







Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)






Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)





Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)






Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)






Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)







Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)







Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)







Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)







Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)






Fig. 24. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Non-Clinical On Farm)

